

(9 - 1) Container Classes & Class Templates

D & D Chapter 18, 19

Instructor - Andrew S. O'Fallon
CptS 122 (March 4, 2024)
Washington State University

Key Concepts

- Class and block scope
- Access and utility functions
- Container classes
- Iterators
- Class templates



Class Scope and Accessing Class Members Explored Further (I)

- A class' data members (attributes) and member functions (operations) belong to the *class' scope*
- Nonmember functions do not belong to any class' scope; they are *global* namespace *scope*
- Within a class' scope data members are directly accessible by the member functions



Class Scope and Accessing Class Members Explored Further (II)

- Outside of the class' scope, public members are accessed through one of three different handles:
 - An object *name*, a *reference* to an object, or a *pointer* to an object
 - Note: the “this” pointer is considered an implicit handle available only within an object
- Local variables declared inside of a member function have *block* scope



Access Functions

- Functions that can read or display data are considered *access functions*
- *Predicate* functions are access functions that test a condition and return true or false; generally we append “is” to the front of the name of the function
 - isEmpty (), isFull(), etc.



Utility Functions

- A *utility* or *helper* function is a private member function used to support other member functions' operations



Container Classes (I)

- Classes designed to hold and organize a collection of other classes
 - Examples of *sequence* containers include: lists, vectors, etc.
 - Example of container *adapters* include: stacks, queues, etc.
 - Container adapters are adaptations or interfaces designed to restrict functionality for an already existing container – they provide a different set of functionality
 - The Standard Template Library (STL) stack and queue adapt the double-ended queue (deque)



Container Classes (II)

- Container classes are generally separated into four categories:
 - Sequence containers – represent *linear* data structures
 - Array, deque, list (doubly-linked), vector, forward_list (C++ 11)
 - Container adapters
 - Ordered associative containers – represent *nonlinear ordered* data structures
 - Set, multiset, map, multimap (CptS 223!)
 - Unordered associative containers – represent *nonlinear unordered* data structures



Properties of STL Sequence Containers (I)

- Array
 - Fixed size; direct access to any element
- Deque
 - Rapid insertions and deletions at front or back; direct access to any element
- List
 - Doubly linked list; rapid insertions and deletions anywhere



Properties of STL Sequence Containers (II)

- Vector
 - Rapid insertions and deletions at back; direct access to any element
- Forward_list
 - Singly linked list, rapid insertions and deletions anywhere; C++ 11



Properties of STL Container Adapters

- Stack
 - Last-in, first-out (LIFO)
- Queue
 - First-in, first-out (FIFO)
- Priority_queue
 - Highest priority element is always the first one out



Functions Common to Container Classes (I)

- *Default constructor* – initializes an empty container
- *Copy constructor* – initializes the container to be a *copy* of an *existing* container of the same type
- *Move constructor* – available in C++ 11 – *moves* the contents of an existing container into a new container of the same type without copying each element of the argument container



Functions Common to Container Classes (II)

- *Destructor* – performs house keeping or *cleanup* when container is no longer needed
- *Empty* – returns *true* if there are no elements in the container; *false* otherwise
- *Insert* – *inserts* an item into the container
- *Size* – returns the number of elements in the container



Functions Common to Container Classes (III)

- *Copy operator (=)* – copies the elements of one container into another container of the same type
- *Move operator (=)* – available in C++ 11 – moves the contents of one container into another without copying each element of the argument container
- *Max_size* – returns the *maximum* number of elements for a container



Functions Common to Container Classes (IV)

- *Begin* – overloaded to return an *iterator* that refers to the *first* element of the container
- *End* - overloaded to return an *iterator* that refers to the *next* position after the *end* of the container
- *Erase* – removes one or more elements from the container
- *Clear* – removes *all* elements from the container
- Others exist!



Iterators

- Similar properties to a *pointer*
- An *iterator* is any object that points to some element in a sequence of elements, and has the ability to iterate through the elements using ++ and indirection (*) operators
- *Containers* support the use of iterators



Class Templates

- We have already seen function templates, we will now extend the idea to classes
- *Class templates* allow for a way to easily specify a variety of related overloaded functions (*function-template specializations*) or classes (*class-template specializations*)
- Allows for *generic* programming
- Keyword `template` denotes the start of a class template
- STL containers are “templated”



Example using Class Templates

- Developed during lecture – see code posted to schedule



Next Lecture..

- More about class templates, data structures, and containers



References

- P.J. Deitel & H.M. Deitel, *C++: How to Program* (9th ed.), Prentice Hall, 2014
- J.R. Hanly & E.B. Koffman, *Problem Solving and Program Design in C* (7th Ed.), Addison-Wesley, 2013



Collaborators

- Jack Hagemeister

