

CHAPTER 4

ETHNOGRAPHIC STUDIES

The study of ethnology—so often mistaken by its very votaries for an idle hunting after curios, for a ramble among the savage and fantastic shapes of “barbarous customs and crude superstitions”—might become one of the most deeply philosophic, enlightening and elevating disciplines of scientific research. Alas! The time is short for ethnology, and will this truth of its real meaning and importance dawn before it is too late?(Malinowski, 1922, p. 518)

Through a method variously referred to as ethnography or ethnology, anthropologists have established a rich tradition of exploring cultures through in situ field studies (see, e.g., Estroff, 1981; Malinowski, 1922; Mead, 1928; Spradley, 1970). Through a document known as an *ethnography*, the ethnographer aims to describe a culture from the perspective of an insider. To do so, the ethnographer typically lives within the community for a period of time, making use of any of several established ethnographic field techniques, including (a) *participant observation*—experiencing first-hand the authentic practices of the community, either actively as a participant, or more passively as an observer; (b) *fieldnotes*—maintaining a written record of one’s experiences in the field; (c) *interviews*—talking with community members about their views and experiences, either with a set list of questions, an open-ended list of questions, or spontaneously; (d) *questionnaires*—asking community members a set of questions through a written instrument; (e) *artifact collection*—gathering and analyzing the artifacts of the community; (f) *diary collection*—asking community members to keep a diary of their experiences, thoughts and activities; and (g) *audio- and videotaping*—recording the events of a community on audio- or videotape for later analysis.

Far from being the exclusive tools of ethnographers, these field techniques have become popular in other disciplines as well, as researchers have become increasingly interested in conducting focused field studies of communities. Designers of computer technology, for example, have recently turned to ethnographic field techniques for help in answering questions about technology design (see, e.g., Anderson, 1994; Blomberg, Giacomi, Mosher, & Swenton-Wall, 1993; Springmeyer, 1992). In contrast to the ethnographer’s goal of attributing culture, the computer technologist’s aim in employing ethnographic field techniques is to understand how technology fits, or might fit, into the day-to-day practices of a given community.

As I argued in the previous chapter, sociocultural constructivism views learning at the level of the *community*. The value of a learning exercise, according to sociocultural constructivism, rests in its ability to provide access to, and ultimately to facilitate, increasingly central participation within a community. AV technology, on this view, is pedagogically valuable insofar as it provides students with access to increasingly expert forms of participation, and insofar as it serves to mediate meaningful learner-learner and learner-expert conversations about algorithms. Given this community-based view of learning, ethnographic field techniques would appear well-suited to assessing the impact of AV technology-based learning exercises from a sociocultural constructivist perspective. Indeed, ethnographic field techniques hold promise in providing a rich understanding of the ways in which AV technology-based learning exercises both facilitate participation within the community being reproduced through an algorithms course, and support communication about algorithms.

In this chapter, I present the key findings of a series of two ethnographic field studies that explored the effects of implementing, within an algorithms course, AV technology-based learning exercises

rooted in sociocultural constructivism. Each of these studies considered a separate offering of a third-year undergraduate algorithms course taught by the same instructor during consecutive, ten-week terms at the University of Oregon. While the scope of these studies initially was broader,¹⁴ this chapter focuses on reporting and discussing those study findings that address three specific research questions raised by the sociocultural constructivist position:

1. Do AV construction and presentation exercises engage students in activities that are relevant to the Community of Schooled Algorithms (COSA)?
2. How should AV technology be designed so as to mediate presentations of, and conversations about, algorithms?
3. Do AV construction and presentation exercises help students to gain fuller membership in the COSA?

The chapter begins with some essential background on the studies: what was covered in the algorithms course and how the course was organized; what AV technology was used and how it was used; who the informants in the study were; and what field techniques I employed in the fieldwork. Next, I present key observations, which relate to students' activities and experiences both in constructing and presenting their AVs. Finally, I discuss the observations vis-à-vis the three key research questions listed above. As I shall illustrate, the observations made during these studies provide crucial insights into the three key research questions listed above.

The most significant of these insights is that AV construction assignments,¹⁵ when supported by high epistemic fidelity AV technology, can actually distract students from participating in COSA-relevant activities. When supported by low epistemic fidelity technology, however, AV construction and presentation/discussion appear to enable students to participate more extensively in COSA-relevant activities, thus contributing to students' gaining more central membership in the COSA.

4.1 Background

CIS 315, "Algorithms," typifies the third year undergraduate algorithms course taught within the computer science departments of American universities. In the course, students explore efficient algorithmic problem-solving techniques, including divide-and-conquer, dynamic programming, and greedy approaches. The course emphasizes that such techniques are generally applicable to wide classes of problems; the trick is to recognize a problem as being a candidate for a certain technique, and then to apply the appropriate technique to solve the problem. The course also stresses the importance of the formal reasoning skills necessary to talk precisely about the correctness and efficiency of the algorithms under study. Formal proofs of correctness, and precise statements about efficiency (using Big-O notation), are thus important components of the course.

As indicated by the sample syllabus included in Appendix C, the CIS 315 course in which I conducted my fieldwork adopted a standard text (Cormen, Leiserson, & Rivest, 1990). The course revolved around three fifty-minute lectures per week. An additional 50-minute discussion period provided an opportunity for students, the teaching assistant, and occasionally the instructor to come together to discuss problems of current interest. Grading was based on regular problem sets, a midterm, a final exam (or final programming project), and various algorithm visualization assignments.

¹⁴Consult Appendices A and B for more detailed accounts of these ethnographic studies.

¹⁵Note that I shall use "AV construction assignments," "visualization construction assignments," and "animation construction assignments" interchangeably in this chapter.

In the remainder of this section, I briefly describe the students and instructor who participated in the two courses I observed, the animation assignments that provided a backdrop for my fieldwork, and the field techniques I employed to gather data.

4.1.1 Informants: Students and the Instructor

Thirty-eight computer science majors were enrolled in the first CIS 315 class I observed; forty-nine were enrolled in the second. Prior to their enrollment in the course, these students were required to complete both a math sequence that culminated in a standard discrete mathematics course, and a computer science sequence that culminated in a standard 300-level data structures course. Students ranged in age from 20 to over 40, with most of them closer to 20. Most students in the courses were male; five females were enrolled in each of the two courses.

John Lane,¹⁶ the course instructor, was a tenured professor who had been teaching the algorithms course at the university for over 12 years. In addition to holding regular office hours, John gave nearly all of the course lectures, did some of the grading, and led in some of the weekly discussion sections. Tom, a fellow graduate student of mine in the Department, was the teaching assistant for the course both terms. In addition to holding weekly office hours, Tom did most of the grading, led most of the weekly discussion sections, and occasionally gave lectures when John was out of town.

4.1.2 Algorithm Visualization Assignments and Supporting Technology

Based on the sociocultural constructivist recommendations outlined in the previous chapter, the visualization assignments that Professor Lane and I devised for the course included both a construction component, and a presentation/discussion component. However, these components differed substantially in each of the course offerings that I studied.¹⁷

4.1.2.1 Study I Visualization Assignments

During the first term of my fieldwork, the construction component of the assignments was based on Stasko's (1997) recommendations. In particular, students had to complete three different animation assignments.¹⁸ The first assignment was intended to familiarize them with the animation construction environment (discussed below) that they would be using for subsequent assignments. For the second and third assignments, students, who were allowed to work in groups, were asked to choose an algorithm that made use of one of the problem-solving techniques (divide-and-conquer, greedy, dynamic programming) covered in class. They were then asked to create an animation for the algorithm they had chosen, keeping in mind that the animation should work for general input. Departing from Stasko's recommendations, we also required students to present the animation to their instructor classmates at one of the animation presentation sessions to be scheduled near the end of the term.

Students used the *Samba* (Stasko, 1997) animation package to construct and present their visualizations. A front-end interpreter to the Polka animation system (Stasko & Kraemer, 1993), *Samba* supports high epistemic fidelity, multiple-window, color animations. The *Samba* interpreter takes as input a text file containing a series of *Samba* commands (one per line), and generates a corresponding animation. Figure 15 presents a fragment from a sample *Samba* script, along with a snapshot of the animation generated by the script.

¹⁶In the interest of preserving their anonymity, I use pseudonyms to refer to all of my informants.

¹⁷I shall refer to the first academic quarter of my fieldwork as "Study I," and the second academic quarter of my fieldwork as "Study II."

¹⁸Consult Appendix C for copies of the actual assignments statements given to students.

Once a Samba animation has been programmed, it can be viewed using the tape recorder-style interface illustrated in Figure 16. The interface allows one to start, pause, and step through the animation (one frame at a time), and to adjust the execution speed. An additional set of controls in each animation window [see bottom of window presented in Figure 15(b)] allow one to zoom in and out of the view, and to pan around within the view.




Figure 15. Sample Samba Script Fragment and Animation Snapshot



Figure 16. The Polka Control Panel

4.1.2.2 Study II Visualization Assignments

For the subsequent offering of the course, Professor Lane and I opted to revise the animation assignments in three significant ways. First, we decided to drop two of the three animation assignments for the subsequent term; only a final animation assignment was retained. Second, we dropped the requirement for input generality; students were instead asked to choose carefully a few examples to animate, and then to focus on animating those examples well.

Third, we turned the animation assignment into a two-phase project. For the first, “animation prospectus” phase of the project, student groups were asked to use low-tech materials (e.g., transparencies, pens, construction paper, scissors) to construct low epistemic fidelity “visualization storyboards” (Douglas, Hundhausen, & McKeown, 1995) of their proposed animations. They were asked to present these storyboards to Professor Lane, me, and small groups of interested students during storyboard presentation sessions scheduled at roughly the halfway point of the term. For the second, “Samba animation” phase of the project, students were asked to implement their storyboards

as Samba animations, taking into consideration the suggestions and feedback they had received from their storyboard presentations.

4.1.3 Field techniques

In my fieldwork, I played the dual-role of *student observer* and (volunteer) *teaching assistant for algorithm animation*. As a student observer, I sat in on lectures and took notes; interacted with students before and after lectures, and occasionally when I ran into them in the computer science department; and arranged to observe and work with certain groups of students as they worked on animation assignments in the undergraduate computer lab.

As the teaching assistant for algorithm animation, I collaborated with the instructor in the development of the algorithm animation curriculum; set up and maintained the Samba software used for the algorithm animation assignments; gave introductory lectures on algorithm animation and the course animation assignments; made myself available via e-mail, and before and after class, for questions regarding algorithm animation; and interacted regularly with the instructor regarding a variety of issues surrounding the animation assignments.

In my dual-role of student observer and teaching assistant, I employed at least seven different ethnographic field techniques.¹⁹ First, I made extensive use of *participant observation* to participate in and observe the algorithm animation-related activities of both students and the instructor. Second, I used two different kinds of interviewing techniques to elicit my informants' perceptions and experiences. In my day-to-day interaction with students and the instructor, I tended to ask a lot of questions on an informal basis (*informal interviewing*). On several occasions, I followed up on the important themes and issues that emerged from those informal inquiries by audiotaping (and subsequently transcribing and analyzing) *semi-structured interviews* with students and the instructor. Third, during Study I, I administered two brief on-line *questionnaires* (see Appendix C) to the members of a volunteer mailing list. These questionnaires elicited students' general impressions regarding the algorithm animation assignment, what activities they performed, and estimates of the amount of time spent on each activity.

Fourth, I took extensive *fieldnotes* during both terms of the fieldwork, both during lectures, and after my discussions with Professor Lane and my student informants. Fifth, I *audio- or videotaped* (and subsequently transcribed and analyzed) all of the storyboard and final animation presentation sessions that were held during both terms of the fieldwork. Sixth, I *collected and analyzed artifacts*—both the executable animations that students handed in during Study I and Study II, and the low-tech storyboards that students presented during Study II. Finally, in Study II, I *collected and analyzed diaries* that students were required to hand in as part of the assignment. Their diaries documented what they did for the animation assignment, what problems they encountered, and how much time they spent.

4.2 Observations

In the two courses I observed, a total of 83 student groups (one to four students each) constructed animations of 22 algorithm themes. Figure 17 graphs the number of student groups that animated each algorithm theme. As the figure indicates, the QuickSelect algorithm, Dijkstra's algorithm, Kruskal's and Prim's minimum spanning tree algorithm, and breadth-first and depth-first search all proved to be particularly popular. Notice also that the algorithm themes that students chose were representative of the major problem-solving techniques studied in the course: divide-and-conquer, greedy, dynamic programming, and graph algorithms.

¹⁹Just what makes my studies "ethnographic" is an important consideration. In this chapter, I have space only for a brief discussion of the ethnographic field techniques I used. Consult Appendix A for a more thorough treatment of this topic.

Figure 18 presents the 83 student animation projects according to the representations they used to portray the target algorithms. Most of the animation projects, as the figure indicates, employed *geometric representations*; they depicted their target algorithms using the canonical, purely geometric representations that appear in the course textbook.




Figure 17. Algorithm Themes Animated by Student Groups




Figure 18. Number of Geometric and Story-based Animations

For example, many of student groups animated Kruskal's and Prim's minimum spanning tree algorithms by (a) representing an input graph as labeled circles connected by lines, and (b) shading

edges and nodes in some way to illustrate the minimum spanning tree as it was being constructed (see Cormen, Leiserson, & Rivest, 1990, pp. 506–508).

In contrast, a relatively small number of student groups opted to portray their algorithm in terms of a *story*, in which real or fictitious human beings were engaged in some problem-solving venture. Derived either from the real world or from a fantasy, these story-based animations had at least one of the following two properties, which distinguished them from their canonical geometric counterparts. First, their storyline served to motivate the use of the target algorithm by providing a rich backdrop for its application. Second, their internal logic and structure paralleled the target algorithm's internal logic and structure; the storyline was an analogy for the algorithm. An example of a story-based animation with both of these properties is the story of Knuth's Ark²⁰, which portrays the algorithm for solving the longest common subsequence problem²¹:

The world floods again, and Donald Knuth²² builds an ark. Loaded with a pen of animals, Knuth's Ark sails from island to island in search of surviving animals. Like Noah, Knuth's goal is to save pairs of like animals, so that they might breed and eventually replenish the population. One day, Knuth's Ark lands on an island, and Knuth sights a herd of wild animals—lions, tigers, giraffes, among others. Given the animals already aboard Knuth's Ark, which animals on the island should Knuth select so that he has the most pairs of like animals?

Recall that, in the courses I observed, the animation assignments actually had two distinct components: animation construction and animation presentation/discussion. In the remainder of this section, I first present my observations of students' animation construction activities. I then turn to my observations of the animation presentation and discussion sessions.

4.2.1 Animation Construction

Based on the diary data I collected in Study II, Figure 19²³ compares the average amount of time students spent implementing their final animations in Samba, and the average amount of time students spent constructing their storyboards with art supplies. As the figure illustrates, the average amount of time students spent on those two construction activities varied substantially.²⁴ In

²⁰See Appendix B for a detailed account of this animation and the discussions that it stimulated.

²¹Given two sequences of objects, what is the longest (not necessarily contiguous) subsequence that the two sequences have in common? The problem can be solved efficiently using dynamic programming; see, e.g., (Cormen, 1990, pp. 314–319).

²²Knuth is a famous algorithmician and pioneer of the contemporary approach to algorithm analysis; see his multi-volume set *The Art of Computer Programming* (Knuth, 1973).

²³Twenty-seven of the 47 students registered in the course turned in diaries documenting their storyboard-construction activities (7), their Samba implementation activities (7), or both (13). Thus, the data reported in this figure reflects a sample size of 20—a significant portion of the total population.

²⁴These numbers serve as conservative estimates of the time students spent on the animation assignments of Study I. Indeed, given the more stringent requirements of the Study I assignments (*viz.*, that the Study I assignments required all animations to work for general input, whereas that the Study II assignments required students to construct animations that worked for only a few input data sets), and given the fact that students were able to flesh out many of the details of their Samba animations during the storyboard phase of the Study II assignment, one would actually expect students to have spent *more* time on the Study I assignments than they spent on the Samba implementation component of the Study II assignment.

light of the large difference between the average amount of time students spent constructing storyboards, and the average amount of time students spent implementing Samba animations, the obvious question to ask is, “How, exactly, did students spend their time in each of those activities?” Below, I elaborate further on the activities in which students engaged as they and as they constructed storyboards out of art supplies, and as they implemented animations in Samba.




Figure 19. Time Spent on Storyboards and Samba Animations

4.2.1.1 Storyboard Construction Activities

Based on an analysis of student diaries, Figure 20 presents a taxonomy of the activities in which students engaged in the storyboard phase of the Study II animation assignment. As suggested by the taxonomy, students’ storyboard construction activities entailed researching, talking about, and preparing their presentations on algorithms. To prepare their presentations, most student groups (22 of 24) heeded the advice of the handout “Guidelines for Developing a Storyboard Presentation” (see Appendix C)²⁵ by preparing visual aids in advance. Nearly half of these groups (11) used black-and-white transparencies generated by some sort of graphics editor or drawing program. The others made use of a variety of storyboard materials, ranging from hand-drawn transparencies (4 groups), to hand-drawn or computer-generated sheets of paper (4 groups), to large poster board with hand-drawn illustrations (2 groups).




Figure 20. Students’ Storyboard Construction Activities

As the following section makes clear, storyboard preparation activities differed markedly from the activities in which students engaged as they implemented Samba animations.

²⁵I based these guidelines on my experiences with using the visualization storyboarding technique in prior research (Douglas, Hundhausen, & McKeown, 1995, 1996).

4.2.1.2 Samba Construction Activities

Derived from interview and questionnaire data collected in Study I, Figure 21 presents a taxonomy of the activities in which students engaged as they implemented input-general animations in Samba. As the figure indicates, three high-level activities were involved. First, since the assignment statements that Professor Lane and I gave to students were open-ended and vague (see Appendix C), students had to decide on a specific project. While some students relished the flexibility the projects afforded, others were stymied by it. As one student confided in a questionnaire response, “Just deciding on which were the important parts [of the assignment] to get done was a problem. Lots of people didn’t quite know what [Professor Lane] wanted to be turned in.”

Recall that the Study I assignments required students’ animations to work for general input. To facilitate input generality, students engaged in the second high-level activity depicted in Figure 21: implementing a “driver” algorithm.²⁶ Unfortunately, Professor Lane did not supply students with pre-programmed algorithms to animate. While some students were able to “borrow” source code for their algorithms from various sources (e.g., friends, the World Wide Web), others dedicated substantial amounts of time to implementing their algorithms, which also entailed the secondary activities of writing input routines (to accept input data), and debugging the algorithm. In fact, according to my admittedly scant questionnaire data, algorithm programming activities, on average, accounted for the largest portion of the overall time spent on the second Study I assignment.




Figure 21. Students’ Samba Animation Construction Activities

The third and final high-level animation activity was to implement the animation. Animation programming involved four main activities. First, students had to lay out their animations on the screen. To facilitate the placement of objects on the screen, the Samba language supports a Cartesian, real-numbered coordinate system; the lower left-hand corner of the screen is 0,0, and the upper right-hand corner of the screen is 1,1. Since they did not always find this coordinate system to be easy to work with, students often noted that they needed much trial-and-error in order to get their animation layouts to look right.

Next, students had to figure out how to get their animation to work for general input. This entailed writing *general-purpose graphics routines*. Such routines had to be parameterized, so that they could lay out and update the animation for any reasonable input. Following sound principles of structured

²⁶The ultimate purpose of such a driver algorithm was to produce automatically a Samba animation for any input. To accomplish this, students had to annotate the driver algorithm with statements that print out Samba code at interesting points. This technique, which I labeled *direct generation* in Chapter II, was originally pioneered by Brown (1988).

programming, students sometimes designed a suite of graphics classes for this purpose. One student, in fact, reported that he used an object-oriented design tool to create a 12,000 line library of parameterized graphics classes for Samba; he subsequently made the library available to the class.

Third, students spent time debugging their animations. In the case of the Samba animation assignments, debugging took on a new twist, since observed problems in students' animations could have one of two causes: (a) a bug in the *underlying algorithm*, or (b) a bug in the *mapping* of the algorithm to the animation. While my fieldwork did not include a detailed investigation of the ways in which students went about the debugging task, interview data indicate that students actually used their animations as a resource for debugging their algorithms. Consider, for example, the following description one of my informants offered of her group's debugging process:

[I]n the beginning, . . . you're making sure you just have the animation right. But after you're pretty sure you've got the animation right, you can use that to debug the more important details of your code. Like, once we . . . figured out how to delete [the edges in our graph] from the screen, we had to make sure we were actually deleting them in [the algorithm] as well. If it didn't disappear from the screen, it was probably because we didn't delete it from the algorithm.

Finally, in addition to programming and debugging their animations, students spent time "tweaking"—that is, fine-tuning their animations so that they met their personal presentation standards. I learned, in fact, that some students actually enjoyed the process. As one of my informants wrote after completing the third Study I animation assignment, "I spent the same amount of time [as I did on the previous assignment] getting the geometry to line up so the whole presentation was clean, a process I enjoy a lot. . . If you gotta present something, you want it to look nice, to look clean." In addition to being potentially fun, the tweaking process proved time consuming. This was because of the lengthy *compile-run-run* cycle required to test a modification to a Samba animation (the first run generates the Samba trace; the second run allows one to view the animation in Samba). As one student stated in a questionnaire response,

I didn't like. . . the amount of time it took to set up the actual C++ algorithm, and how long it took to compile and run the program just to check for a change in one tiny detail. One detail can make or break the Samba code (i.e., a detail like changing the current view can cause hundreds of lines of code to be ignored), and this detail is sometimes hard to spot when debugging.

Another student had a similar experience, confessing that he spent so much time tweaking his second animation assignment that he was "too embarrassed to say" just how much time he actually spent.

In Study II, the absence of an input generality requirement meant that students had greater freedom in their choice of animation implementation strategies. An analysis of the Study II animations that students handed in indicates that students took five alternative approaches to the implementation of their final animations.

The most popular approach, taken by 11 student groups, was to write a C++ "driver program" that produced a Samba trace file illustrating the algorithm for a single set of input data. A second strategy, adopted by six student groups, was to implement a canned animation in Java, thus avoiding Samba altogether. Third, although input generality was not a requirement, four student groups nonetheless opted to implement input-general animations using the same strategy used by students in Study I. Fourth, and in stark contrast to the students who wrote general-purpose animations, four student groups avoided the need to implement any C++ code at all by hand-coding their animations directly in the Samba scripting language. Finally, one group wrote a custom animation layout tool as a front-end to Samba. Using this tool, they were able to specify their animation using a graphics editor coupled with a custom command language.

While some of these strategies successfully avoided the need to implement a general-purpose driver program, they all required students to engage in many of the same activities described in the taxonomy of Figure 21. In fact, my analysis of student diaries suggests that students spent far and

away the most time on the *programming activities* necessary to get their animations up and running. As was the case in Study I, these programming activities included writing and modifying algorithms, annotating algorithms with Samba statements; debugging their animations; and tweaking their animations.

4.2.2 Animation Presentation and Discussion

The animation presentation/discussion sessions were a much-anticipated capstone of students' animation-building efforts. Having spent potentially significant amounts of time preparing for their presentations, students often looked forward to showcasing what they had done, and to receiving feedback. Based largely on post-hoc review of the videotaped footage, the following two subsections take a closer look at the storyboard and Samba presentation sessions.

4.2.2.1 Storyboard Presentations

In presentation sessions that lasted between ten and twenty minutes, students storyboarded their animations by presenting snapshots of the animation at key points in its execution. While some students created separate illustrations for key frames of the animation, others made use of pens and cut-out figures to update a single illustration. For example, in the storyboard of a greedy job scheduling algorithm, student presenters slid cut-outs of the jobs to be scheduled along a timeline; a cut-out was deposited in its rightful place on the timeline if it could be scheduled, or slid off of the timeline if it could not be scheduled. Similarly, many groups used pens to mark up their storyboards as they unfolded. For instance, in storyboards of graph algorithms, vertices and edges were often shaded or circled to indicate whether they were visited or chosen.

Students provided verbal play-by-play narration of their storyboards. As storyboard events unfolded, students made extensive use of deictic gesture, using both the tips of pens and their fingers to coordinate their narration and explanations with objects in their storyboards. Likewise, Professor Lane often pointed to objects in the storyboard when he had questions, or when he made suggestions. In addition, since many storyboard drawings were essentially static, students frequently used gestures to impart a degree of dynamism on storyboard objects. For example, if consecutive snapshots portrayed the same object at successive points in the animation, students often made sweeping gestures to indicate how the object got from the first point to the second point.²⁷

Student-professor discussions were often lively during the storyboard presentations. In these discussions, three major themes emerged. First, audience members frequently broke in to ask clarifying questions, which served to clarify various aspects of storyboard presentations, including (a) the sequence of storyboard events (e.g., "Is the table updated before or after you draw the arrow?"); (b) what happens between storyboard snapshots (e.g., "How do you get from that slide to this one?"); (c) how, precisely, the final animation will unfold (e.g., "How will you actually show that table update?"); and (d) the significance of attributes of storyboard objects (e.g., "Why is that edge colored red?").

Second, John frequently offered suggestions for improving a storyboard's design. Less frequently, students explicitly elicited suggestions regarding the design of their storyboards. Some of these suggestions were one-sided monologues; John did the talking, and students did the listening. On the other hand, other suggestions were collaborative achievements; they arose out of discussions in which Professor Lane and student presenters considered alternative designs.

²⁷Note that these observations concur with those of prior research into storyboard presentations (Chaabouni, 199; Douglas, Hundhausen, & McKeown, 1995, 1996;).

Analysis of videotaped footage of the storyboard presentations suggests that six kinds of suggestions were offered and elicited during storyboard presentations. These six suggestions revolved around the following six general questions:

1. What aspects of an algorithm should we illustrate and elide?
2. How should those aspects of the algorithm be represented?
3. What are appropriate sample input data?
4. How should multiple animation views be coordinated?
5. How can a given storyboard feature be implemented in Samba?
6. What is the appropriate scope of our project?

Finally, as discussed above, a minority of students' animations depicted algorithms against the backdrop of a story. As it turned out, storyboard presentation participants took great pleasure in refining and further developing the internal logic and structure of these stories. This was especially true if the stories were creative or innovative, as were the four summarized in Table 4.

During the course of the story-based storyboard presentations, participants sometimes recognized opportunities to revise a scenario so that it better accounted for particular algorithm features, logic, or events of interest. Conversely, and less frequently, participants considered algorithms that might be truer to a given scenario. These discussions accomplished what I have labeled "story tailoring"; see Appendix B for a vivid example.

4.2.2.2 Samba Animation Presentations

As we saw above, students often went to great pains to implement their Samba animations in full detail. However, when it came down to presenting their Samba animations, they tended to fast-forward through much of that detail. Instead, they tended to focus on the same portions of their animations that the storyboards in Study II illustrated exclusively—namely, the interesting events, where something noteworthy or unusual occurred.

Aside from being generally shorter in duration than the storyboard presentations, the Samba presentations differed from the storyboard presentations in three key respects. First, there was noticeably less overall discussion about conceptual issues surrounding algorithms. Instead, Samba presentation sessions tended to be more show-and-tell. Student presenters walked through their animations with minimal interaction with the audience. In fact, prolonged periods of silence, during which the audience and student presenters merely watched the animation, were not uncommon.

Second, when discussions did take place, those discussions focused different topics from those of the storyboard sessions. As discussed above, storyboard presentations were replete with clarifying questions, design discussions, and discussions regarding stories. While Samba presentation sessions often generated clarifying questions, they were generally devoid of discussions regarding design considerations and stories. The exceptions to this were those Samba animation presentations—all of the presentations in Study I, and just a couple in Study II—that did not benefit from a prior storyboard presentation. In such cases, the final presentation sessions served as *de facto* storyboard presentations; the same kinds of design discussions took place. However, since the Samba software was unable to support the kinds of dynamic markup and modification that were commonly used in the storyboard presentations, students and the instructor had to rely more extensively on pointing and gesturing to the screen. In addition, since the Samba software did not support rewinding or

backwards execution, animations frequently had to be halted and then restarted in cases in which the audience had questions about an animation event that had already passed by.²⁸

Table 4. Four Storyboard Stories That Stood Out For Their Creativity and Innovation

Algorithm(s)	Story Title	Synopsis
Breadth First Search vs. Depth-First Search	Wizard vs. Scientist	A wizard with the ability to teleport is pitted against a scientist with the ability to clone himself. The two are challenged to find their way out of a maze using their supernatural abilities. Who will win?
QuickSelect Algorithm	Select Mining Corporation	You are charged with the task of improving the efficiency of mining operations at the Select Mining Corporation. Mined nuggets move along on a conveyor belt. Only the n^{th} heaviest nugget in a given batch is to be selected. How can the Select Mining Corporation select it most efficiently?
Floyd-Warshall Algorithm	Matt the Pilot	Your brother, Matt, is a retired military pilot who wants to make some extra money while he travels the world. Between some cities, he can fly a military plane and make money. Between other cities, he must fly with a commercial carrier and lose money. Given a beginning city and a destination, what route should he take to maximize his profit?
Dijkstra's algorithm + a greedy selection algorithm	Field Trip to Baker City	Professor Midas decides to load his algorithms class onto his psychedelic bus for a field trip to the Computer Science Museum in Baker City, Oregon. What is the shortest route from the University of Oregon (Eugene, Oregon) to Baker City, and how can the trip be made with the fewest gas stops?

Third, whereas storyboard presentation discussions only occasionally addressed implementation *considerations* (one of the suggestion types mentioned above), Samba animation discussions were frequently focused on implementation *details*—how something was implemented, difficulties encountered during implementation, and the like. Occasionally, students vented frustration over the difficulties they encountered in pulling off a given design feature. At other times, such discussions contributed to the “show-and-tell” flavor of the Samba presentation sessions; indeed, in addition to sharing their animations, some students simply felt inspired to share how they had implemented them.

4.3 Discussion

As these observations suggest, the advantage of focusing narrowly on one particular algorithms course is that such a focus enabled me to gain a rich appreciation, informed by multiple actors and perspectives, of AV construction and presentation exercises. The disadvantage is that the observations do not necessarily apply to other algorithms courses taught by other instructors, taken by other students, and offered at other universities. It is important to recognize this limitation in the following discussion, in which I consider, in light of the observations just reported, the three

²⁸Interestingly, discussions of stories did not take place during the Samba presentations.

research questions posed at the beginning of this chapter. Plainly, great care must be taken in any attempt to generalize the findings I discuss beyond the particular algorithms course I studied.²⁹

4.3.1 Activity Relevance

The observations presented above motivate two insights into the relevance of AV construction and presentation exercises with respect to the COSA. The first of these is that the relevance of AV construction activities depends intimately both on the method used to perform the construction, and on the requirements to be met by the constructed AV. To see this, one need only consider the stark contrast between students' storyboard construction activities, and their Samba animation implementation activities. By having students construct input-general animations in Samba, Professor Lane and I inadvertently shifted students' focus away from *learning the algorithm*, and towards *learning how to program graphics*. Indeed, rather than concentrating on the high level conceptual issues related to the algorithms they were animating, students became quickly mired in low-level graphics programming issues—for example, how to lay an animation out on the screen, and how to make an animation look clean and polished. Moreover, the difficulties of programming general-purpose graphics to work in the general case—a requirement for the Study I animations—steered students further off course. While perhaps interesting in their own right, these exercises were clearly peripheral to the concerns of the COSA. As Professor Lane himself confided, “These are useful exercises, but not in this class.”

By contrast, in constructing input-specific, low-fidelity storyboards, students not only spent substantially less time overall, but the time that they did spend was dedicated to activities that were more relevant to the COSA—most notably, research on algorithms, and group discussions about the target algorithms and how best to illustrate them. While storyboard construction necessarily involved implementing an animation, the method of implementation—constructing a presentation with art materials—did not distract students from their focus on algorithms. Further, since the storyboard presentations were understood to be works in progress, and not finished products, students did not burn their time away “tweaking” their final storyboards so that they looked polished and presentable. Indeed, the informality of the storyboards appears to have led students to engage in more relevant activities.

The second insight, closely related to the first, concerns the community relevance of the discussions generated by student-constructed AVs: Low-fidelity storyboards tended to stimulate more relevant discussions than did Samba animations. My observations suggest two reasons for this. First, because implementing them proved difficult and time-consuming, and because computer science students tend to enjoy sharing implementation stories, Samba-built animations often stimulated more discussion about the effort that went into programming them than about the algorithms that they depicted. By contrast, storyboards required minimal effort to construct, and often appeared rough, scruffy, and unfinished. As a consequence, storyboards invited the criticism and commentary of the audience, which seemed to regard the storyboards as works-in-progress in need of their collaboration.

The second reason for the success of low-fidelity storyboards in stimulating relevant conversations was that they tended to present algorithms at a level of abstraction that was “just right” for the audience. Because they were driven by the algorithms they depicted, Samba animations tended to illustrate an algorithm's procedural behavior in minute detail; no operations could be skipped or elided (although fast-forwarding was possible and used frequently). On the other hand, student presenters controlled the execution of their storyboards. Thus, they could be much more responsive to the requests and questions of the audience. Details that were unimportant to the audience could

²⁹Aside from having limited generalizability, my ethnographic fieldwork was influenced by the biases I brought to the field; see Appendix A for a discussion of these biases.

be skipped or quickly glossed over. Events that were of particular interest and concern could be covered over and over, frontwards and backwards, at a slow speed, and even at a different level of detail. In short, because they were student-controlled, storyboards could adapt to the presentation situation, thus serving as a valuable resource for discussions.

4.3.2 Designing for Conversations about Algorithms

As discussed in Chapter 2, ever since Brown's (1988) pioneering work on BALSAs, interactive AV technology has regarded AV creation and AV viewing as disjoint activities. While AV technology researchers have put considerable effort into making AV creation easier and less time consuming, they have left virtually unexamined the problem of supporting AV viewing. Indeed, Brown's (1988) tape recorder-style interface for interacting with AVs (see Chapter 2) has become the taken-for-granted standard in nearly all subsequent AV technology. However, in light of the observations of the student presentation sessions described above, AV technologists would do well to reexamine their assumption that AV creation and AV viewing are disjoint activities, as well as their assumption that the AV interaction problem has been solved by a tape recorder-style interface. Those observations suggest that if AV technology is to truly support student-instructor conversations about algorithms, it must be far more flexible and adaptive than a tape recorder—that, in fact, it must look a lot more like an AV creation environment. Specifically, the observations suggest that *conversation-supporting AV technology* requires three user interface features not supported by extant AV technology.

First, as the above observations indicate, presenters frequently use AVs as a resource for answering questions and requests that emerge out of discussions. To do so, they need to (a) locate quickly a particular point in an AV's execution (in response to a question like "Could you show me the point where the partition element is selected?"); (b) execute the AV in reverse (in response to a question like "That went by too quickly; could we see that section again?"); and (c) vary the speed of the AV's execution (in response to a question like "Could we view that section really slowly?" or "Could you just speed through this section?").

To enable presenters to respond to their audience in these ways, AV technology must support much finer-grained control of AV execution than is supported by current AV technology. In particular, in addition to supporting flexible execution speed (which most extant AV technology already supports), conversation-supporting AV technology must also enable one to execute an AV both forwards and in reverse, and to dynamically set and jump to "visualization points"—points in the AV where events that are interesting to the audience occur.

Second, my observations suggest that conversational participants frequently pointed to and marked up AVs as they were executing. Often they used their fingers or some physical object for pointing. While it is difficult to imagine that a virtual (i.e., computer-based) pointing object would do a better job, a conversation-supporting AV system might consider providing a large, conspicuous mouse pointer for presentations. Moreover, a conversation-supporting AV system should enable one to mark-up, with a virtual pen, an AV as it is executing.

Third, my observations suggest that conversations about AVs frequently give rise to changes in the AV. When students presented storyboards, they could experiment with such changes on the spot by sketching out new visualization objects, or by re-simulating their AV according to the proposed changes. Present AV technology requires considerable reprogramming in order to change an AV. Conversation-supporting AV technology must support an easy means of modifying AVs on the spot, and of trying out the modifications. This suggests that, in the case of conversation-supporting AV technology, the traditional line between AV creation and AV viewing is blurred.

4.3.3 AV Construction and Presentation as Expert Forms of COSA Participation

According to sociocultural constructivism, gaining fuller membership within a community fundamentally entails participating within the community in increasingly expert ways. It should be clear that the AV construction and presentation exercises, as they were implemented during my ethnographic fieldwork, gave students an opportunity to engage in activities that are typically performed only by course instructors. As the term progressed, Professor Lane himself came to realize the importance of having students participate as instructors:

One of the things that I have really come to realize in talking to some of them, giving them an idea of what they should be thinking about animating, is that they become the teacher. So, it's their job to explain *why* an algorithm works, or to show *how* it works. . .The point is, they've got to explain it, and they've got to do it not by standing over somebody and taking questions and answers, but by coming up with this nice video. . .Anytime you're in a situation where you're teaching a subject, you really learn it. And so, this is one of the most [compelling] reasons for [having students construct and present animations].

From John's standpoint as the course instructor, the AV construction exercises had the added benefit of helping him to evaluate students' progress, since they had both to "demonstrat[e] that they know something about an algorithm, and to "prepare[e] a tool where they are teaching what they know." From the students' standpoint, having to construct AVs meant having to take seriously what was important about the algorithms they were learning. Consider, for example, the following interview sequence, in which Mary (M) tells me (E) about the advantage of animation construction, as compared to simply implementing an algorithm:

- M: Well, one specific thing is when we were trying to implement Dijkstra's algorithm, we had to be *aware* of whether or not an edge that had been chosen once was ever going to be chosen again. And, you have to be sure about these sort of things, because if, at some point, it gets unchosen, you have to be able to keep track of that, hold on to the edge, and change the color back, or whatever.
- E: Which is not something you'd normally have to do in the course of implementing the algorithm.
- M: Right. You wouldn't necessarily see that unless you had actual physical, concrete representation of that edge on the screen, and had to have an actual hold on it. And, also you had to know is that if it was ever going to be turned on again—you know, be chosen.

Another of my informants, Tom, cited two additional benefits of animation construction as a means of coming to grips with what one has to teach: (a) self-constructed AVs are "objects of [one's] own design," so they make sense to the person doing the construction; and (b) self-constructed AVs require one to engage in a creative process, so that one does not get bored.

The animation presentation sessions also provided students with crucial opportunities to participate as teachers. Indeed, as the description of the animation presentation sessions illustrated, during their presentations sessions, students did many of the things an algorithm teacher would typically do. For example, they provided background on an algorithm; they asked and fielded questions; and they made decisions regarding when it was important to walk slowly through an explanation, and when it was better just to fast-forward. Moreover, as they assumed roles as teachers, students typically received suggestions from Professor Lane and me. Such suggestions gave them essential feedback on how well they were performing as teachers, and on how they might improve their performance.

With respect to the latter, the fact that students' animations were "objects of their own design" seemed crucial to fostering meaningful student-professor interaction, and hence students' fuller participation in the community. The creative thought that they put into their animation designs, as well as the hard work that they put into their animation implementations, seemed to vest students

in the teaching activities that they were undertaking. Through the process, they began to assume the roles of more central members of the COSA. In turn, they seemed not only particularly willing to contribute to discussions, but also particularly open and responsive to the feedback they received during their presentation sessions—feedback on how they might “do better” as teachers.

In sum, the AV construction and presentation exercises explored here challenged students to participate, in more expert ways than usual, in the practices of the COSA. My observations suggest that, rather than being put off by this challenge, students were motivated by it. Through constructing and presenting their own AVs, both students’ level of competence, and their identity, appeared to be transformed. They began to act, and to see themselves, more as teachers.

4.4 Summary

This chapter has presented a series of ethnographic observations that explored the value of AV construction and presentation exercises in an actual undergraduate algorithms course. The observations I made in these studies appear to make a strong case for the plausibility of the sociocultural constructivist view with respect to the value of technology as a learning aid. As might have been predicted by sociocultural constructivism, Professor Lane’s and my initial approach to implementing construction and presentation exercises was naïve. We failed to recognize that requiring students to construct and present high epistemic fidelity AVs would prove so distracting. By shifting from Samba to storyboards, we discovered that students not only spent significantly less time on the construction part of the exercises, but that the activities in which they engaged were more relevant.

Moreover, the observations I made during the presentation sessions underscored the role of AV technology in mediating meaningful conversations about algorithms. As we have seen, the shift in the ontological status of AV technology advocated by sociocultural constructivism—from *knowledge conveyors* to *conversation mediators*—has important implications for the design of the technology. Finally, my observations highlighted AV technology’s role, within AV construction and presentation exercises, in providing students with access to expert forms of COSA participation. As suggested by the sociocultural constructivist position, access to such participation transforms students’ competence and identity, thus enabling them to gain more central membership in the COSA.